

## Creseis anatomy *Pteropoda / Thecosomata*


J.M. Cavanihac - France

The pteropods (literally wings at the feet) changed their old name to Thecosomata for those with a shell and Gymnosomata for the others. The first time I met one I noticed the similarity of organs with snails; it was our late friend Walter Dioni who directed me to thecalosome: *Creseis*. Here is one of the first images I took, composed from 16 partial views of a living individual: (analog camera 380x 260 pixels!).




In this [old article](#), which I did at the time, an animation shows the means of movement of a specimen using its “wings”.

In 2018 in a marine plankton net sample, I was surprised to encounter a large quantity: picture: 2.5 x inverted microscope objective: (specimens released 2 hours later).



As the image quality is better this time, (5Mpx) it is possible to explore their anatomy a little more (hence the title!) Curiously, a search on the net often refers to a magnificent board taken from [this link](#) : *Creseis* is specimen N° 9.

The original plate from 1899 is documented in German, a language I do not speak so I have - tried - an automatic translation but the German compound words are difficult to translate. Here is drawing N° 9 extracted from the plate and the translated captions: (make zoom on the page).



**German**

af After.  
 la Leberausführgang  
 sd Schalendrüse.  
 afs Aftersipho.  
 m Mundöffnung.  
 sl Seitenlappen des Fußes.  
 bcg Buccalganglion.  
 mbl Magenblindsack.  
 sp Speicheldrüsen.  
 cc Cerebralkommissur.  
 mds mantelholhlendrüse.

sr Samenrinne.  
 cg Cerebralganglien.  
 mi Mittellaiflben des Fußes.  
 t Tentakel.  
 cn Centralnervensystem.  
 mm Mundmasse.  
 ff tentakelartiger Fortsatz der Flosse.  
 d Darm.  
 Mra Mantelrand.  
 fl Flosse.  
 v Vorhof.  
 ga eschlechtsausführgang..  
 vg Visceralganglion.  
 Gah genitalanhangsdrüsen.  
 nr Niere.  
 vs Vesicula seminalis  
 oes Oesophagus.  
 wf wimperfeld des Fußes  
 os Osphradium  
 zd Zwitterdrüse.  
 p Penis.  
 km Herzkammer.  
 pg Petalganglion.  
 kma Kaumagen.  
 ret Retractor-muskel  
 zg Zwittergang.  
 l Leber\_  
 rs Receptaculum seminis.

**English**

af after.  
 la liver duct  
 sd shell gland.  
 afs Aftersipho.  
 m mouth opening.  
 sl lateral lobe of the foot.  
 bcg Buccal ganglia.  
 mbl gastric blind sac.  
 sp salivary glands.  
 cc cerebral commissure.  
 mds mantle cavity gland.

sr seed gutter.( ?)  
 cg cerebral ganglia.  
 mi middle lobe of the foot.  
 t tentacle.  
 cn central nervous system.  
 mm mouth mass.  
 ff tentacle-like extension of the fin.  
 d intestine.  
 Mra coat edge. \_  
 fl fin.  
 v atrium.  
 ga sex passage..  
 vg Visceral ganglion.  
 Gah genital appendages.  
 nr kidney.  
 vs. seminal vesicle  
 oes esophagus.  
 wf ciliated field of the foot  
 os osphradium  
 zd hermaphrodite.  
 p penis.  
 km ventricle.  
 pg Petal Ganglion.  
 kma gizzard.  
 ret retractor muscle  
 Zg hermaphrodite.  
 l liver\_  
 rs Receptaculum seminis

**French**

af après.  
 la canal hépatique  
 sd glande coquille .  
 afs Aftersipho.  
 m ouverture de la bouche.  
 sl lobe latéral du pied.  
 Bcg Ganglion buccal  
 mbl cul de sac gastrique .  
 sp glandes salivaires.  
 cc commissure cérébrale.  
 Mds glande de la cavité du manteau  
 sr gouttière alimentation  
 cg ganglions cérébraux.  
 mi lobe median du pied  
 t tentacule.  
 cn système nerveux central.  
 mm masse buccale.  
 ff extension tentaculaire de la nageoire.  
 d intestin.  
 Mra bord du manteau. \_  
 fl ailette.  
 v oreillette.  
 ga passage du sexe..  
 vg Ganglion viscéral.  
 Gah appendices génitaux.  
 nr rein.  
 vs vésicule séminale  
 oes œsophage.  
 wf zone ciliée du pied  
 os osphradium  
 zd hermaphrodite.  
 p pénis.  
 km ventricule .  
 pg Ganglion des pétales.  
 kma gésier  
 ret muscle rétracteur  
 Zg hermaphrodite.  
 l foie\_  
 rs Receptaculum seminis.



Some labels remain difficult to translate, even imprecise (ie: receptaculum seminis). They also concern other specimens of the board and not only *Creseis*! but I left them in the translation.


It is necessary to underline the precision of these drawings, which suppose a great number of observations, the various organs being often entangled.

It is interesting to see what modern techniques, (inclusions and multiple cuts plus 3D software) make it possible to obtain (but in a less artistic way!):


<https://academic.oup.com/mollus/article/80/5/585/2883244>

See fig. 3 especially for the digestive system.


Using these sources of information, let's try to find the main organs on the real images:



The gizzard contains plates P to grind food, S designates the 2 statoliths.



On other images we can better see the retractor muscle (2) of the body and what is designated as liver (1) or digestive gland but it is probably a hepato-pancreas.




Here we see the position of the brain, the mouth and the feet (wings) deployed: they are used for rapid movement (see previous animation) and are covered with cilia which bring the nutrient particles back to the mouth. The two statoliths used for equilibrium are located at the base of feet.

*Creseis acicula* specimen:



The shell is composed of aragonite, a variety of unstable form of carbonate mineral limestone and gives this characteristic effect with polarized light:



This shell is thin and fragile and becomes a good indicator of water acidification when its thickness decreases.

A view of the ciliae contained within the “wings”:





In fact, in the two images above we see that there would be 4 wings: I think that two of them are remnants of the structures of the veliger stage which are used by the larva to move it.

Which would lead to think that the specimens studied above would be juvenile forms, the image below shows, on the same photo from the same sample, a "young" and an adult which measures more than 6 mm (vigneting on picture taken with 2,5 X objective is due to an inadequate bulb which has been replaced by an LED).



For their reproduction, pteropods are hermaphroditic, first male then female on the same individual.

**Comments to the author J.M. Cavanihac are welcomed,  
email: micromars1 AT orange DOT fr**

**Published in the January 2023 issue of Micscape magazine.  
[www.micscape.org](http://www.micscape.org)**